

FIG. 2




FIG. 3

	Marker Name	Marker Code	DESCRIPTION
SOI	Start of Image	FFD8.H	START OF COMPRESSED DATA
APP1	Application Segment 1	FFE1.H	ADDITIONAL INFORMATION OF EXIF
APP2	Application Segment 2	FFE2.H	EXTENDED DATA OF EXIF
DQT	Define Quantization Table	FFDB.H	QUANTIZATION TABLE
DHT	Define Huffman Table	FFC4.H	HUFFMAN TABLE
DRI	Define Restart Interval	FFDD.H	RESTART INTERVAL
SOF	Start of Frame	FFC0.H	FRAME PARAMETERS
SOS	Start of Scan	FFDA.H	COMPONENT PARAMETERS
EOI	End of Image	FFD9.H	END OF COMPRESSED DATA

FIG. 4




FIG. 5




FIG. 6

```

<?xml version="1.0" encoding="Shift_JIS"?>
<MakerNote>
  <CANON Version="0.00.00">
    <UserSetting>
      <Macro>On</Macro>
      <SelfTimer>On</SelfTimer>
      <CompQuality>Fine</CompQuality>
      <EF>Auto</EF>
      <ReleaseMethod>Single</ReleaseMethod>
      <ShootingNumber>0</ShootingNumber>
      <ReleaseTiming>FocusPriority</ReleaseTiming>
      <ImageSize>Large</ImageSize>
      <ImageMode>Auto</ImageMode>
      <Contrast>default</Contrast>
      <ColorGain>default</ColorGain>
      <Sharpness>default</Sharpness>
      <Sensitivity>default</Sensitivity>
      <MLWeiMode>Center</MLWeiMode>
    </UserSetting>
    <OpticsInfo>
      <LensType>Zoom</LensType>
      <FocalLength>204/32</FocaalLength>
      <XSizeCCD>252/1024</XSizeCCD>
      <YSizeCCD>189/1024</YSizeCCD>
    </OpticsInfo>
    <FlashInfo>
      <DayLightValue>94</DayLightValue>
      <FlashLightValue>71</FlashLightValue>
      <FlashKind>380EX</FlashKind>
      <FlashTime>1000</FlashTime>
    </FlashInfo>
    <OwnerName>
      <![CDATA[NULL]]>
    </OwnerName>
  </CANON>
</MakerNote>

```

FIG. 7




FIG. 8





FIG. 9






FIG. 11





FIG. 12






FIG. 13